

Dispatch Log From: 02/28/2021 Thru: 02/28/2021 0000 - 2359 Printed: 03/01/2021

For Date: 02/28/2021 - Sunday

| <u>Call Number</u> | <u>Time</u> | <u>Call Reason</u> | <u>Action</u> |
|--------------------|--------------------------------------|-----------------------|------------------------|
| 21-4094 | 0029 | BUILDING CHECK | Observed |
| Primary Id: | Sergeant Thomas C Marston | | |
| Location/Address: | [BEL 800] WRENTHAM RD | | |
| ID: | Sergeant Thomas C Marston | | |
| 21-4095 | 0042 | BUILDING CHECK | Nothing Found |
| Primary Id: | Patrol Timothy M Joyce | | |
| Location/Address: | MECHANIC ST | | |
| ID: | Patrol Timothy M Joyce | | |
| 21-4096 | 0055 | BUILDING CHECK | Secured/Checked |
| Primary Id: | Patrol Michael J Claffey | | |
| Location/Address: | [BEL 12086] LAKE ST | | |
| ID: | Patrol Michael J Claffey | | |
| 21-4097 | 0059 | BUILDING CHECK | Observed |
| Primary Id: | Patrol Mark A Auld | | |
| Location/Address: | [BEL 2225] HARTFORD AVE | | |
| ID: | Patrol Mark A Auld | | |
| 21-4098 | 0112 | BUILDING CHECK | Observed |
| Primary Id: | Sergeant Thomas C Marston | | |
| Location/Address: | MECHANIC ST | | |
| ID: | Sergeant Thomas C Marston | | |
| 21-4099 | 0121 | BUILDING CHECK | Observed |
| Primary Id: | Patrol Mark A Auld | | |
| Location/Address: | FARM ST | | |
| ID: | Patrol Mark A Auld | | |
| 21-4109 | 0129 | BUILDING CHECK | Nothing Found |
| Primary Id: | Patrol Timothy M Joyce | | |
| Location/Address: | PULASKI BLVD | | |
| ID: | Patrol Timothy M Joyce | | |
| 21-4100 | 0132 | BUILDING CHECK | Observed |
| Primary Id: | Sergeant Thomas C Marston | | |
| Location: | [BEL 912] WETHERSFIELD NEIGHBORHOOD | | |
| ID: | Sergeant Thomas C Marston | | |
| 21-4101 | 0134 | BUILDING CHECK | Secured/Checked |
| Primary Id: | Patrol Michael J Claffey | | |
| Location/Address: | [BEL 2741] PULASKI BLVD | | |
| ID: | Patrol Michael J Claffey | | |
| 21-4110 | 0158 | BUILDING CHECK | Nothing Found |
| Primary Id: | Patrol Timothy M Joyce | | |
| Location/Address: | WHITEHALL WAY | | |
| ID: | Patrol Timothy M Joyce | | |
| 21-4102 | 0233 | BUILDING CHECK | Secured/Checked |
| Primary Id: | Patrol Michael J Claffey | | |
| Location: | [BEL 933] LAKE HIAWATHA NEIGHBORHOOD | | |
| ID: | Patrol Michael J Claffey | | |
| 21-4103 | 0337 | BUILDING CHECK | Secured/Checked |
| Primary Id: | Patrol Michael J Claffey | | |
| Location/Address: | [BEL 11525] HARPIN ST | | |
| ID: | Patrol Michael J Claffey | | |
| 21-4104 | 0402 | BUILDING CHECK | Secured/Checked |
| Primary Id: | Patrol Michael J Claffey | | |
| Location/Address: | [BEL 2754] SQUIRE LN | | |
| ID: | Patrol Michael J Claffey | | |
| 21-4108 | 0517 | BUILDING CHECK | Nothing Found |
| Primary Id: | Patrol Timothy M Joyce | | |

Dispatch Log From: 02/28/2021 Thru: 02/28/2021 0000 - 2359 Printed: 03/01/2021

| | | |
|---------------------|------------------------------------|---------------------------|
| Location/Address: | PAINE ST | |
| ID: | Patrol Timothy M Joyce | |
| 21-4105 | 0539 | WELL BEING CHECK |
| Primary Id: | Patrol Mark A Auld | Report |
| Location/Address: | [BEL 6272] NORTH MAIN ST + HIGH ST | |
| ID: | Patrol Mark A Auld | |
| ID: | Sergeant Thomas C Marston | |
| 21-4111 | 0542 | BUILDING CHECK |
| Primary Id: | Patrol Michael J Claffey | Secured/Checked |
| Location/Address: | [BEL 2750] NEWLAND AVE | |
| ID: | Patrol Michael J Claffey | |
| 21-4107 | 0606 | BUILDING CHECK |
| Primary Id: | Patrol Timothy M Joyce | Nothing Found |
| Location/Address: | CHRISTINE RD | |
| ID: | Patrol Timothy M Joyce | |
| 21-4106 | 0644 | BUILDING CHECK |
| Primary Id: | Patrol Timothy M Joyce | Nothing Found |
| Location/Address: | [BEL 2504] DOUGLAS DR | |
| ID: | Patrol Timothy M Joyce | |
| 21-4112 | 0653 | BUILDING CHECK |
| Primary Id: | Patrol Michael J Claffey | Secured/Checked |
| Location/Address: | [BEL 2504] DOUGLAS DR | |
| ID: | Patrol Michael J Claffey | |
| 21-4113 | 0748 | BUILDING CHECK |
| Primary Id: | Patrol Christopher J Padula | Nothing Found |
| Location/Address: | MAPLEBROOK RD | |
| ID: | Patrol Christopher J Padula | |
| 21-4114 | 0851 | BUILDING CHECK |
| Primary Id: | Patrol Christopher J Padula | Nothing Found |
| Location/Address: | [BEL 11763] HIGH ST | |
| ID: | Patrol Christopher J Padula | |
| 21-4115 | 0914 | BUILDING CHECK |
| Primary Id: | Patrol Christopher J Padula | Nothing Found |
| Location/Address: | FIFTH AVE | |
| ID: | Patrol Christopher J Padula | |
| 21-4116 | 1002 | BUILDING CHECK |
| Primary Id: | Patrol Christopher J Padula | Nothing Found |
| Location/Address: | MECHANIC ST | |
| ID: | Patrol Christopher J Padula | |
| 21-4117 | 1012 | BUILDING CHECK |
| Location/Address: | [BEL 12086] LAKE ST | Observed |
| ID: | Patrol David L Ayotte | |
| 21-4118 | 1021 | Fire, Mutual Aid |
| Location/Address: | [MIL] LEE ST | Medical Transport |
| EMS Unit: | RES2-Rescue 2 | |
| Manned By ID's: | JPS1 DPV1 | |
| Refer To Fire Case: | 21-481-IN | |
| 21-4119 | 1043 | BUILDING CHECK |
| Primary Id: | Patrol David L Ayotte | Observed |
| Location/Address: | [BEL 2504] DOUGLAS DR | |
| ID: | Patrol David L Ayotte | |
| 21-4121 | 1045 | FIRE, MEDICAL CALL |
| Location/Address: | LAKE ST | Medical Transport |
| Fire Unit: | ENG2-Pumper-Engine 2 | |
| Manned By ID's: | JAA1 JTB1 | |
| EMS Unit: | RES1-Rescue 1 | |
| Manned By ID's: | BEC1 JGG1 | |
| Refer To Fire Case: | 21-482-IN | |

Dispatch Log From: 02/28/2021 Thru: 02/28/2021 0000 - 2359 Printed: 03/01/2021

| | | | |
|---------------------|-------------|---------------------------------|------------------------------|
| 21-4120 | 1046 | BUILDING CHECK | Observed |
| Primary Id: | | Patrol David L Ayotte | |
| Location/Address: | | [BEL 2306] SOUTH MAIN ST | |
| ID: | | Patrol David L Ayotte | |
| 21-4122 | 1104 | BUILDING CHECK | Observed |
| Primary Id: | | Patrol David L Ayotte | |
| Location/Address: | | [BEL 13254] PULASKI BLVD | |
| ID: | | Patrol David L Ayotte | |
| 21-4123 | 1107 | FIRE, SMOKE / ODOR | Fire Service Rendered |
| Location/Address: | | WRENTHAM RD | |
| Fire Unit: | | ENG2-Pumper-Engine 2 | |
| Manned By ID's: | | JAA1 JTB1 | |
| Fire Unit: | | WOONE-Pumper-Woonsocket Engine | |
| Fire Unit: | | CAR4-Staff-Fire Prevention | |
| Fire Unit: | | BF1-Command-Fire Chief | |
| Fire Unit: | | ENG1-Pumper-Engine 1 | |
| ID: | | Patrol David L Ayotte | |
| Refer To Fire Case: | | 21-483-IN | |
| 21-4124 | 1124 | BUILDING CHECK | Observed |
| Primary Id: | | Patrol David L Ayotte | |
| Location/Address: | | [BEL 800] WRENTHAM RD | |
| ID: | | Patrol David L Ayotte | |
| 21-4125 | 1138 | BUILDING CHECK | Nothing Found |
| Primary Id: | | Patrol Christopher J Padula | |
| Location/Address: | | PINE ST | |
| ID: | | Patrol Christopher J Padula | |
| 21-4126 | 1155 | BUILDING CHECK | Nothing Found |
| Primary Id: | | Patrol Christopher J Padula | |
| Location/Address: | | [BEL 11691] HARTFORD AVE | |
| ID: | | Patrol Christopher J Padula | |
| 21-4127 | 1207 | ANIMAL CONTROL / PROBLEM | Log Entry |
| Location/Address: | | [BEL 1041] WRENTHAM RD | |
| 21-4128 | 1220 | BUILDING CHECK | Nothing Found |
| Primary Id: | | Patrol Christopher J Padula | |
| Location/Address: | | [BEL 2225] HARTFORD AVE | |
| ID: | | Patrol Christopher J Padula | |
| 21-4129 | 1304 | MV OPERATION | Gone on Arrival |
| Location/Address: | | FARM ST | |
| ID: | | Patrol Christopher J Padula | |
| 21-4130 | 1321 | BUILDING CHECK | Observed |
| Primary Id: | | Patrol David L Ayotte | |
| Location/Address: | | CANDLE LIGHT LN | |
| ID: | | Patrol David L Ayotte | |
| 21-4131 | 1333 | BUILDING CHECK | Observed |
| Primary Id: | | Sergeant Thomas C Marston | |
| Location/Address: | | [BEL 11609] HARTFORD AVE | |
| ID: | | Sergeant Thomas C Marston | |
| 21-4132 | 1341 | BUILDING CHECK | Nothing Found |
| Primary Id: | | Patrol Christopher J Padula | |
| Location/Address: | | FARM ST | |
| ID: | | Patrol Christopher J Padula | |
| 21-4133 | 1415 | BUILDING CHECK | Nothing Found |
| Primary Id: | | Patrol Christopher J Padula | |
| Location/Address: | | VALLEYVIEW RD | |
| ID: | | Patrol Christopher J Padula | |
| 21-4134 | 1442 | BUILDING CHECK | Nothing Found |
| Primary Id: | | Patrol Christopher J Padula | |
| Location/Address: | | [BEL 13829] SOUTH MAIN ST | |

Dispatch Log From: 02/28/2021 Thru: 02/28/2021 0000 - 2359 Printed: 03/01/2021

ID: Patrol Christopher J Padula

| | | | |
|---------------------|-------------|----------------------------------|--------------------------------|
| 21-4135 | 1506 | FIRE, MEDICAL CALL | Medical Transport |
| Location/Address: | | [BEL 3726] HARTFORD AVE | |
| Fire Unit: | | ENG2-Pumper-Engine 2 | |
| Manned By ID's: | | JAA1 JTB1 | |
| EMS Unit: | | RES2-Rescue 2 | |
| Manned By ID's: | | JPS1 DPV1 | |
| Refer To Fire Case: | | 21-484-IN | |
| 21-4136 | 1557 | FOLLOW-UP INVESTIGATION | Log Entry |
| Location/Address: | | SOUTH MAIN ST | |
| ID: | | Sergeant Julius L Rolls | |
| ID: | | Patrol Christopher J Padula | |
| 21-4137 | 1602 | BUILDING CHECK | Observed |
| Primary Id: | | Patrol John J Melanson | |
| Location/Address: | | BLACKSTONE ST + NORTH ST | |
| ID: | | Patrol John J Melanson | |
| 21-4138 | 1607 | BUILDING CHECK | Observed |
| Primary Id: | | Patrol Edward J Henderson | |
| Location/Address: | | MAPLE ST | |
| ID: | | Patrol Edward J Henderson | |
| 21-4139 | 1608 | DISTURBANCE | Report |
| Primary Id: | | Patrol Edward J Henderson | |
| Location/Address: | | [BEL 1266] CARYVILLE CRSG | |
| ID: | | Patrol Edward J Henderson | |
| 21-4140 | 1616 | MV ACCIDENT | Report |
| Primary Id: | | Patrol Christopher J Padula | |
| Location/Address: | | [BEL 11601] HARTFORD AVE | |
| ID: | | Patrol Christopher J Padula | |
| Refer To Accident: | | 21-94-AC | |
| 21-4141 | 1618 | DISABLED MV | Police Service Rendered |
| Location/Address: | | PICKERING AVE + SOUTH MAIN ST | |
| ID: | | Patrol John J Melanson | |
| 21-4142 | 1633 | LARCENY / FORGERY / FRAUD | Report |
| Primary Id: | | Patrol Edward J Henderson | |
| Location/Address: | | [BEL 11841] HORSESHOE DR | |
| ID: | | Patrol Edward J Henderson | |
| 21-4143 | 1652 | BUILDING CHECK | Nothing Found |
| Primary Id: | | Patrol Christopher J Padula | |
| Location/Address: | | MAPLE ST | |
| ID: | | Patrol Christopher J Padula | |
| 21-4144 | 1659 | BUILDING CHECK | Observed |
| Location/Address: | | [BEL 12086] LAKE ST | |
| ID: | | Patrol John J Melanson | |
| 21-4145 | 1718 | FIRE, MEDICAL CALL | Patient Refusal |
| Location/Address: | | [BEL 11620] HARTFORD AVE | |
| Fire Unit: | | ENG2-Pumper-Engine 2 | |
| Manned By ID's: | | JAA1 JTB1 | |
| EMS Unit: | | RES2-Rescue 2 | |
| Manned By ID's: | | JPS1 DPV1 | |
| Refer To Fire Case: | | 21-485-IN | |
| 21-4146 | 1725 | NOISE COMPLAINT | Gone on Arrival |
| Location/Address: | | [BEL 4372] BUCKY DR | |
| ID: | | Patrol John J Melanson | |
| 21-4147 | 1732 | MV OPERATION | Log Entry |
| Location/Address: | | [BEL 11691] HARTFORD AVE | |
| 21-4149 | 1752 | BUILDING CHECK | Nothing Found |
| Primary Id: | | Patrol Christopher J Padula | |

Dispatch Log From: 02/28/2021 Thru: 02/28/2021 0000 - 2359 Printed: 03/01/2021

| | | |
|---------------------|--------------------------------------|------------------------|
| Location/Address: | OVERLOOK DR | |
| ID: | Patrol Christopher J Padula | |
| 21-4150 | 1753 | BUILDING CHECK |
| Primary Id: | Patrol Edward J Henderson | Observed |
| Location/Address: | MECHANIC ST | |
| ID: | Patrol Edward J Henderson | |
| 21-4151 | 1813 | BUILDING CHECK |
| Primary Id: | Patrol Christopher J Padula | Nothing Found |
| Location/Address: | LAUREL LN | |
| ID: | Patrol Christopher J Padula | |
| 21-4155 | 1820 | BUILDING CHECK |
| Primary Id: | Patrol John J Melanson | Observed |
| Location: | [BEL 933] LAKE HIAWATHA NEIGHBORHOOD | |
| ID: | Patrol John J Melanson | |
| 21-4152 | 1847 | BUILDING CHECK |
| Primary Id: | Patrol Christopher J Padula | Nothing Found |
| Location/Address: | FOX RUN RD | |
| ID: | Patrol Christopher J Padula | |
| 21-4153 | 1904 | BUILDING CHECK |
| Primary Id: | Patrol Christopher J Padula | Nothing Found |
| Location/Address: | [BEL 12086] LAKE ST | |
| ID: | Patrol Christopher J Padula | |
| 21-4154 | 1916 | BUILDING CHECK |
| Primary Id: | Patrol Edward J Henderson | Observed |
| Location/Address: | [BEL 11763] HIGH ST | |
| ID: | Patrol Edward J Henderson | |
| 21-4156 | 1946 | MV ACCIDENT |
| Primary Id: | Patrol Edward J Henderson | Patient Refusal |
| Location/Address: | 495 SOUTHBOUND | |
| Fire Unit: | ENG2-Pumper-Engine 2 | |
| Manned By ID's: | JAA1 JTB1 | |
| EMS Unit: | RES2-Rescue 2 | |
| Manned By ID's: | JPS1 DPV1 | |
| ID: | Patrol Edward J Henderson | |
| ID: | Patrol Christopher J Padula | |
| Refer To Fire Case: | 21-486-IN | |
| Refer To Accident: | 21-95-AC | |
| 21-4159 | 2022 | BUILDING CHECK |
| Primary Id: | Patrol John J Melanson | Observed |
| Location/Address: | NORTH ST | |
| ID: | Patrol John J Melanson | |
| 21-4157 | 2041 | BUILDING CHECK |
| Primary Id: | Patrol Christopher J Padula | Nothing Found |
| Location/Address: | HIGHRIDGE RD | |
| ID: | Patrol Christopher J Padula | |
| 21-4160 | 2359 | BUILDING CHECK |
| Primary Id: | Patrol Jon P Walden | Observed |
| Location/Address: | [BEL 13807] SOUTH MAIN ST | |
| ID: | Patrol Jon P Walden | |